



STATE OF HAWAII
DEPARTMENT OF HEALTH
P.O. Box 3378
HONOLULU, HAWAII 96801-3378

In reply, please refer to:
File:

October 3, 2008

08-909E CAB

To: Interested Party

From: Wilfred K. Nagamine *W. K. Nagamine, for*
Manager, Clean Air Branch

Subject: Covered Source Permit (CSP) No. 0625-01-C
Application for Initial Permit No. 0625-01
Tradewinds Forest Products, LLC
132.4 MMBtu/hr Boiler and Veneer Dryer
Located at: O'okala, Hawaii

Thank you for your comments on the subject air permit. The covered source permit was recently approved by the Department of Health subsequent to the public hearing held on October 30, 2007, public comment period of September 28, 2007 to November 6, 2007, public comment period of July 22, 2008 to September 10, 2008, and two 45-day review periods by the U.S. Environmental Protection Agency (EPA). Enclosed are copies of the signed covered source permit, Summary of Comments Received for the comment period of September 28, 2007 to November 6, 2007, and Addendum A, Summary of Comments Received for the comment period of July 22, 2008 to September 10, 2008.

Pursuant to Hawaii Administrative Rules, Section 11-60.1-100, you may petition the Administrator of the U.S. EPA in accordance with 40 CFR 70.8(d) or petition the Department of Health for a contested case hearing. The petition to the Department for a contested case hearing should be made within 90 days of the date of permit issuance and mailed to:

**Director of Health
Department of Health
P.O. Box 3378
Honolulu, Hawaii 96801-3378**

If there are any questions regarding this matter, please contact Mr. Nolan Hirai of my staff at (808) 586-4200.

Enclosures